


Wiring Accessories

KLSelectronic
www.cnkls.com

Led Spacer Support Series

KLS8-0101 Led Spacer Support Series

Material: UL approved Nylon 66, 94V-2
Unit:mm



KLS8-0101

KLS8-0102

KLS8-0103



VIII

Model No.	L	Packaging
LED-1.5	1.5	2000
LED-2	2	
LED-2.5	2.5	
LED-3	3	
LED-3.5	3.5	
LED-4	4	
LED-4.5	4.5	
LED-5	5	
LED-5.5	5.5	
LED-6	6	
LED-6.5	6.5	1000
LED-6.8	6.8	
LED-7	7	
LED-7.5	7.5	
LED-8	8	
LED-8.5	8.5	
LED-8.8	8.8	
LED-9	9	
LED-9.5	9.5	
LED-10	10	

Model No.	L	Packaging
LED-10.5	10.5	2000
LED-11	11	
LED-11.5	11.5	
LED-12	12	
LED-12.5	12.5	
LED-13	13	
LED-13.5	13.5	
LED-14	14	
LED-14.5	14.5	
LED-15	15	1000
LED-15.5	15.5	
LED-16	16	
LED-16.5	16.5	
LED-17	17	
LED-17.5	17.5	
LED-18	18	
LED-18.5	18.5	
LED-19	19	
LED-19.5	19.5	
LED-20	20	

Model No.	L	Packaging
LED-20.5	20.5	1000
LED-21	21	
LED-21.5	21.5	
LED-22	22	
LED-22.5	22.5	
LED-23	23	
LED-23.5	23.5	
LED-24	24	
LED-24.5	24.5	
LED-25	25	1000
LED-25.5	25.5	
LED-26	26	
LED-26.5	26.5	
LED-27	27	
LED-27.5	27.5	
LED-28	28	
LED-28.5	28.5	
LED-29	29	
LED-29.5	29.5	
LED-30	30	

ORDER INFORMATION


KLS8-0101-LED-1.5

— Hight
— OD: 0101=4.0mm 0102=4.5mm 0103=5.0mm
— Part Number

Led Spacer Support Series

KLS8-0125 Led Spacer Support Series

Material: UL approved Nylon 66, 94V-2
Unit:mm



VIII

Model No.	A	Packaging
LED-3	3	2000pcs
LED-4	4	
LED-5	5	
LED-6	6	
LED-7	7	
LED-8	8	
LED-9	9	
LED-10	10	
LED-11	11	
LED-12	12	
LED-13	13	
LED-14	14	
LED-15	15	
LED-16	16	

Model No.	A	Packaging
LED-17	17	2000
LED-18	18	
LED-19	19	
LED-20	20	
LED-21	21	
LED-22	22	
LED-23	23	
LED-24	24	
LED-25	25	
LED-26	26	
LED-27	27	
LED-28	28	1000pcs
LED-29	29	
LED-30	30	

ORDER INFORMATION





KLS8-0125-LED-3. 0

— Hight
— OD: 0125=5.0mm
— Part Number

Led Spacer Support Series

KLS8-0106 Led Spacer Support Series

Material: UL approved Nylon 66, 94V-2
Unit:mm



KLS8-0105

KLS8-0106



Model No.	A	Packaging
LED-1.5	1.5	2000
LED-2	2	
LED-2.5	2.5	
LED-3	3	
LED-3.5	3.5	
LED-4	4	
LED-4.5	4.5	
LED-5	5	
LED-5.5	5.5	
LED-6	6	
LED-6.5	6.5	
LED-6.8	6.8	
LED-7	7	
LED-7.5	7.5	
LED-8	8	
LED-8.5	8.5	
LED-8.8	8.8	
LED-9	9	
LED-9.5	9.5	
LED-10	10	

Model No.	A	Packaging
LED-10.5	10.5	2000
LED-11	11	
LED-11.5	11.5	
LED-12	12	
LED-12.5	12.5	
LED-13	13	
LED-13.5	13.5	
LED-14	14	
LED-14.5	14.5	
LED-15	15	
LED-15.5	15.5	1000
LED-16	16	
LED-16.5	16.5	
LED-17	17	
LED-17.5	17.5	
LED-18	18	
LED-18.5	18.5	
LED-19	19	
LED-19.5	19.5	
LED-20	20	

Model No.	A	Packaging
LED-20.5	20.5	1000
LED-21	21	
LED-21.5	21.5	
LED-22	22	
LED-22.5	22.5	
LED-23	23	
LED-23.5	23.5	
LED-24	24	
LED-24.5	24.5	
LED-25	25	
LED-25.5	25.5	
LED-26	26	1000
LED-26.5	26.5	
LED-27	27	
LED-27.5	27.5	
LED-28	28	
LED-28.5	28.5	
LED-29	29	
LED-29.5	29.5	
LED-30	30	

ORDER INFORMATION


KLS8-0105-LED-1.5

— Hight
— OD: 0105=5.0mm 0106=5.0mm
— Part Number

Led Spacer Support Series

KLS8-0108 Led Spacer Support Series

Material: UL approved Nylon 66, 94V-2
Unit:mm



VIII

KLS8-0107

KLS8-0108

KLS8-0109

KLS8-0126

Model No.	A	Packaging
LED-1.5	1.5	2000
LED-2	2	
LED-2.5	2.5	
LED-3	3	
LED-3.5	3.5	
LED-4	4	
LED-4.5	4.5	
LED-5	5	
LED-5.5	5.5	
LED-6	6	
LED-6.5	6.5	
LED-6.8	6.8	
LED-7	7	
LED-7.5	7.5	
LED-8	8	
LED-8.5	8.5	
LED-8.8	8.8	
LED-9	9	
LED-9.5	9.5	
LED-10	10	

Model No.	A	Packaging
LED-10.5	10.5	2000
LED-11	11	
LED-11.5	11.5	
LED-12	12	
LED-12.5	12.5	
LED-13	13	
LED-13.5	13.5	
LED-14	14	
LED-14.5	14.5	
LED-15	15	
LED-15.5	15.5	1000
LED-16	16	
LED-16.5	16.5	
LED-17	17	
LED-17.5	17.5	
LED-18	18	
LED-18.5	18.5	
LED-19	19	
LED-19.5	19.5	
LED-20	20	

Model No.	A	Packaging
LED-20.5	20.5	1000
LED-21	21	
LED-21.5	21.5	
LED-22	22	
LED-22.5	22.5	
LED-23	23	
LED-23.5	23.5	
LED-24	24	
LED-24.5	24.5	
LED-25	25	
LED-25.5	25.5	1000
LED-26	26	
LED-26.5	26.5	
LED-27	27	
LED-27.5	27.5	
LED-28	28	
LED-28.5	28.5	
LED-29	29	
LED-29.5	29.5	
LED-30	30	

ORDER INFORMATION


KLS8-0108-LED-1.5

— Hight
— OD : 0107=4.0mm 0108=5.0mm 0109=4.5mm 0126=6.3mm
— Part Number


Led Spacer Support Series

KLS8-0110 Led Spacer Support Series

Material: UL approved Nylon 66, 94V-2
Unit:mm



KLS8-0110 KLS8-0111 KLS8-0112 KLS8-0113A



KLS8-0113B

KLS8-0114

KLS8-0115



Model No.	A	Packaging
LED-1.5	1.5	2000
LED-2	2	
LED-2.5	2.5	
LED-3	3	
LED-3.5	3.5	
LED-4	4	
LED-4.5	4.5	
LED-5	5	
LED-5.5	5.5	
LED-6	6	
LED-6.5	6.5	1000
LED-6.8	6.8	
LED-7	7	
LED-7.5	7.5	
LED-8	8	
LED-8.5	8.5	
LED-8.8	8.8	
LED-9	9	
LED-9.5	9.5	
LED-10	10	

Model No.	A	Packaging
LED-10.5	10.5	2000
LED-11	11	
LED-11.5	11.5	
LED-12	12	
LED-12.5	12.5	
LED-13	13	
LED-13.5	13.5	
LED-14	14	
LED-14.5	14.5	
LED-15	15	1000
LED-15.5	15.5	
LED-16	16	
LED-16.5	16.5	
LED-17	17	
LED-17.5	17.5	
LED-18	18	
LED-18.5	18.5	
LED-19	19	
LED-19.5	19.5	
LED-20	20	

Model No.	A	Packaging
LED-20.5	20.5	1000
LED-21	21	
LED-21.5	21.5	
LED-22	22	
LED-22.5	22.5	
LED-23	23	
LED-23.5	23.5	
LED-24	24	
LED-24.5	24.5	
LED-25	25	1000
LED-25.5	25.5	
LED-26	26	
LED-26.5	26.5	
LED-27	27	
LED-27.5	27.5	
LED-28	28	
LED-28.5	28.5	
LED-29	29	
LED-29.5	29.5	
LED-30	30	


ORDER INFORMATION

KLS8-0110-LED-1.5


————— Hight
 ————— OD: 0110=4.0mm 0111=4.5mm 0112=5.0mm 0113A=6.3mm
 ————— 0113B=6.3mm 0114=7.0mm 0115=7.0mm
 ————— Part Number

Led Spacer Support Series

KLS8-0133 Led Spacer Support Series



Material: UL approved Nylon 66, 94V-2
Unit:mm



Model No.	A	Packaging
LED-4.5	4.5	1000PCS
LED-06	6	
LED-07	7	
LED-08	8	
LED-09	9	
LED-10	10	
LED-11	11	
LED-12	12	
LED-13	13	
LED-14	14	
LED-15	15	
LED-16	16	
LED-17.5	17.5	1000PCS
LED-22.5	22.5	


ORDER INFORMATION

KLS8-0133-LED-4.5


High
OD: 0133=6.0x3.5mm
Part Number

Led Spacer Support Series

KLS8-0127 Led Spacer Support Series



Material: UL approved Nylon 66, 94V-2
Unit:mm



Model No.	A	B	Packaging
LED-03	3	2.6	1000PCS
LED-4.5	4.5	2.6	
LED-6.0	6	2.6	
LED-7.0	7	2.6	
LED-8.0	8	2.6	
LED-9.0	9	2.6	
LED-10.0	10	2.6	

ORDER INFORMATION

KLS8-0127-LED-03


High
90° LED Spacer Support Series
Part Number

Led Spacer Support Series

KLS8-0128 Led Spacer Support Series



Material: UL approved Nylon 66, 94V-2
No tools are required
Unit:mm



Model No.	A	B	Packaging
LED-05	5	8.75	1000PCS
LED-06	6	9.75	
LED-07	7	10.75	
LED-08	8	11.75	
LED-09	9	12.75	
LED-10	10	13.75	
LED-11	11	14.75	
LED-11.5	11.5	15	
LED-12	12	15.75	
LED-14	14	17.75	
LED-15	15	18.75	
LED-16	16	19.75	1000PCS
LED-17	17	20.75	
LED-18	18	21.75	
LED-19	19	22.75	
LED-20	20	23.75	


ORDER INFORMATION

KLS8-0128-LED-5.0


High
90° LED Spacer Support Series
Part Number

Led Spacer Support Series

KLS8-0135 Led Spacer Support Series



Material: UL approved Nylon 66, 94V-2
Unit:mm



ORDER INFORMATION

KLS8-0135-PLM-18.6

High
90° LED Spacer Support Series
Part Number


Led Spacer Support Series

KLS8-0136 Led Spacer Support Series

Material: UL approved Nylon 66, 94V-2

No tools are required

Unit:mm



PLX-18

PLW-18

Model No.	A	L	W	H
PLX-18	18.2	7.7	9.6	21.6
PLW-18	18.2	9.5	9.6	21.6

ORDER INFORMATION

KLS8-0136-PLX-18.0



High
90° LED Spacer Support Series
Part Number

Led Spacer Support Series

KLS8-0122 Led Spacer Support Series



Material: UL approved Nylon 66, 94V-2
Unit:mm



CHASSIS $\varnothing 8$

ORDER INFORMATION

KLS8-0122-LED5-10


High
5mm LED Holder
Part Number

Led Spacer Support Series



KLS8-0124 Lens CAP Series




Material: UL approved PC, 94V-2
Unit:mm



LC3-1



LC5-1



CHASSIS $\varnothing 6.35$
THICKNESS 0.8~6.35

Part No.	LED	Package
LC3-1	$\varnothing 3$	1000PCS
LC5-1	$\varnothing 5$	1000PCS

ORDER INFORMATION

KLS8-0124-LC3-1

LED OD
Lens CAP Series
Part Number


Led Spacer Support Series

KLS8-0117 Led Holder Series


Material: UL approved Nylon 66, 94V-2
Unit:mm



KLS8-0117-3



KLS8-0117-5



ORDER INFORMATION

KLS8-0117- 3

- LED OD
- LED Holder Series
- Part Number


Led Spacer Support Series

KLS8-0118 Led Holder Series

Material: UL approved Nylon 66, 94V-2
Unit:mm




KLS8-0118-3



CHASSIS $\varnothing 4.5$

KLS8-0118-5



CHASSIS $\varnothing 6.4$

ORDER INFORMATION

KLS8-0118- 3


LED OD
LED Holder Series
Part Number

Led Spacer Support Series


KLS8-0121 Led Spacer Support Series

Material: UL approved Nylon 66, 94V-2
Unit:mm


KLS8-0119-LED-3




KLS8-0120-LED-3



KLS8-0121-LED-3



KLS8-0134-LED-3



ORDER INFORMATION

KLS8-0119-LED-3

LED OD
Led Spacer Support Series
Part Number

Led Spacer Support Series


KLS8-0129 Led Spacer Support Series

Material: UL approved Nylon 66, 94V-2
Unit:mm


KLS8-0129-LED-5



KLS8-0130-LED-5



KLS8-0131-LED-5



KLS8-0132-LED-5

ORDER INFORMATION

KLS8-0129-LED-5

LED OD
Led Spacer Support Series
Part Number