


## FUSE AND FUSE HOLDER

### Cell Box Series

#### KLS5-817 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AAA" CELLS



### ORDER INFORMATION

Product NO.: KLS5-817-B

Part Number  
Cell Box Series



TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
D: With Pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-817 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-817-A**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
D:With Pin




# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-817 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AAA" CELLS



PCB LAYOUT

## ORDER INFORMATION

Product NO.: **KLS5-817-D**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
D: With Pin


All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-818 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Two "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-818-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin




# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-818 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Two "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-818-A**

Part Number  
Cell Box Series

TYPE:

A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap  
D:With Pin

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information




# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-818 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Two "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-818-C**

Part Number  
Cell Box Series

TYPE:

A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin





All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-818 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Two "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-818-D**

Part Number  
Cell Box Series


TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-819 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Three "AAA" CELLS



## ORDER INFORMATION

Product NO.: KLS5-819-B

Part Number  
Cell Box Series




TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-819 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Three "AAA" CELLS



## ORDER INFORMATION

Product NO.: KLS5-819-A

Part Number  
Cell Box Series




TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap  
D:With Pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-819 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Three "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-819-C**

Part Number  
Cell Box Series


TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-819 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Three "AAA" CELLS



## ORDER INFORMATION

Product NO.: KLS5-819-D

Part Number  
Cell Box Series


TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-820 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Four "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-820-B**

Part Number  
Cell Box Series

TYPE:

A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-820 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Four "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-820-A**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin




All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-820 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Four "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-820-C**

Part Number  
Cell Box Series

TYPE:


A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap  
D:With Pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-820 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Four "AAA" CELLS



## ORDER INFORMATION

Product NO.: KLS5-820-D

Part Number  
Cell Box Series



TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-821 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Four "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-821-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap





# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-821 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Four "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-821-A**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information




# FUSE AND FUSE HOLDER

**KLS** electronic  
www.cnkls.com

## Cell Box Series

### KLS5-821 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Four "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-821-C**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-825 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Six "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-825-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap




All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-825 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Six "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-825-A**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap




# FUSE AND FUSE HOLDER

**KLS** electronic  
www.cnkls.com

## Cell Box Series

### KLS5-825 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Six "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-825-C**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-826 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Eight "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-826-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information




# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-826 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Eight "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-826-A**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information




# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-826 UM-4 OR "AAA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Eight "AAA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-826-C**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

KLS5-827 UM-4 OR "AAA"

V



## ORDER INFORMATION

Product NO.: **KLS5-827-B**

Part Number  
Cell Box Series

TYPE:  
B:With 15CM Wire



All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-828 UM-4 OR "AAA" Safety Battery Holder Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR Two "AAA" CELLS  
WITH COVER & SCREW  
SERIES CONNECTION, 6 VOLTS



## ORDER INFORMATION

Product NO.: **KLS5-828-B**

Part Number  
Cell Box Series

TYPE:  
B:With 15CM Wire And with switch


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-710 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-710-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
D: With Pin

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-710 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-710-A**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
D:With Pin

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information



# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-710 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-710-D**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
D: With Pin




All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-801 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-801-A**

Part Number  
Cell Box Series




TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
D:With pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-801 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-801-D**

Part Number  
Cell Box Series


TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
D:With pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-801 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-801-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
D: With pin


# FUSE AND FUSE HOLDER

## Cell Box Series

KLS5-802 UM-3 OR "AA" Cell Box Series

### Material

- 1、 Plastic: PP
- 2、 Spring: Carbon steel Nickel plated



## ORDER INFORMATION

Product NO.: **KLS5-802-B**

Part Number  
Cell Box Series

### TYPE:


- A:With Soldered lug
- B:With Wire L=15cm or other
- C:With 6 Prong snap
- D:With pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-803 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-803-B**

Part Number  
Cell Box Series

TYPE:

A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap



## FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

### Cell Box Series

#### KLS5-803 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



WIRE LEADS SHOWN ABOVE

### ORDER INFORMATION

Product NO.: **KLS5-803-A**

Part Number  
Cell Box Series

TYPE:

A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information




# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-803 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-803-C**

Part Number  
Cell Box Series

TYPE:

A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap



All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-805 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM 5MM  
STRIP & TIN: 5 MM 1MM  
MATERIAL: A. B. S. RESIN, BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR: FOR TWO "AA" CELLS, ON-OFF Sliding Switch  
WITH COVER & SCREW  
SERIES CONNECTION, 3 VOLTS



## ORDER INFORMATION

Product NO.: **KLS5-805-B**

Part Number  
Cell Box Series

TYPE:  
B:With Wire And with switch L=15cm or other



# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-806 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-806-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong  
D: With Pin

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information



# FUSE AND FUSE HOLDER

**KLS** electronic  
www.cnkls.com


## Cell Box Series

### KLS5-806 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



SOLDER LUGS SHOWN ABOVE



## ORDER INFORMATION

Product NO.: **KLS5-806-A**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong  
D:With Pin


All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-806 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-806-C**

Part Number  
Cell Box Series

TYPE:


A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap  
D:With Pin

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-806 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-806-D**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap  
D: With Pin


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-808 UM-3 OR "AA" Safety Battery Holder Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN, BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR FOUR "AA" CELLS  
WITH COVER & SCREW  
SERIES CONNECTION, 6 VOLTS



## ORDER INFORMATION

Product NO.: **KLS5-808-B**

Part Number  
Safety Battery Holder Series

TYPE:  
B:With Wire And with switch L=15cm or other

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information




# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-809 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-809-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong  
D: With Pin



All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER


## Cell Box Series

### KLS5-809 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



SOLDER LUGS SHOWN ABOVE



## ORDER INFORMATION

Product NO.: **KLS5-809-A**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong  
D:With Pin



# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-809 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-809-C**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap  
D:With Pin





All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER

## Cell Box Series

### KLS5-809 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-809-D**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap  
D:With Pin


## FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

### Cell Box Series

#### KLS5-810 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



WIRE LEADS SHOWN ABOVE

### ORDER INFORMATION

Product NO.: **KLS5-810-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information



## FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com


### Cell Box Series

#### KLS5-810 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



SOLDER LUGS SHOWN ABOVE



### ORDER INFORMATION

Product NO.: **KLS5-810-A**

Part Number  
Cell Box Series

TYPE:

A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-810 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



9 VOLT SNAP TYPE SHOWN ABOVE

## ORDER INFORMATION

Product NO.: KLS5-810-C

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-812 UM-3 OR "AA" Safety Battery Holder Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN, BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR FOUR "AA" CELLS  
WITH COVER & SCREW  
SERIES CONNECTION, 6 VOLTS



## ORDER INFORMATION

Product NO.: **KLS5-812-B**

Part Number  
Safety Battery Holder Series

TYPE:  
B:With Wire And with switch L=15cm or other

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information


## FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

### Cell Box Series

#### KLS5-814 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



### ORDER INFORMATION

Product NO.: **KLS5-814-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap



All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information

# FUSE AND FUSE HOLDER


## Cell Box Series

### KLS5-814 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



SOLDER LUGS SHOWN ABOVE



## ORDER INFORMATION

Product NO.: **KLS5-814-A**

Part Number  
Cell Box Series

TYPE:



A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

# FUSE AND FUSE HOLDER


## Cell Box Series

### KLS5-814 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



SOLDER LUGS SHOWN ABOVE



## ORDER INFORMATION

Product NO.: **KLS5-814-C**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong snap


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-816 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



WIRE LEADS SHOWN ABOVE

## ORDER INFORMATION

Product NO.: **KLS5-816-B**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information




# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-816 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-816-A**

Part Number  
Cell Box Series

TYPE:  
A:With Soldered lug  
B:With Wire L=15cm or other  
C:With 6 Prong

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information




# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-816 UM-3 OR "AA" Cell Box Series

WIRE: UL 1007, # 26 AWG  
BLACK & RED: 150 MM  $\pm$  5MM  
STRIP & TIN: 5 MM  $\pm$  1MM  
MATERIAL: A. B. S. RESIN BLACK COLOR  
SPRING: .6 MM 65C SPRING WIRE  
DESCR.: FOR ONE "AA" CELLS



## ORDER INFORMATION

Product NO.: **KLS5-816-C**

Part Number  
Cell Box Series

TYPE:  
A: With Soldered lug  
B: With Wire L=15cm or other  
C: With 6 Prong snap

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information


# FUSE AND FUSE HOLDER

**KLS**electronic  
www.cnkls.com

## Cell Box Series

### KLS5-829 BHC-CR123A Cell Box

MATERIAL: PA66+25% GF, BLACK COLOR  
SPRING: Steel



## ORDER INFORMATION

Product NO.: KLS5-829-D

Part Number  
Cell Box Series

TYPE:  
D:With Pin

All specification & dimensions are subject to change, please call your nearest KLS sales representative for update information